



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20231
www.uspto.gov

Paper No. 6

MAIL

DEC 23 2002

DIRECTOR OFFICE
TECHNOLOGY CENTER 2600

WALL MARJAMA & BILINSKI
101 SOUTH SALINA STREET
SUITE 400
SYRACUSE NY 13202

In re application of:)
David Weldum et al)
Serial Number: 10/080,144)
Filed: February 21, 2002)
For: **METHOD AND SYSTEM FOR**
STORING CALIBRATION DATA
WITHIN IMAGE FILES

DECISION ON PETITION

This is a decision on the petition filed July 8, 2002 under 37 C.F.R. 1.102(d), to make the above-identified application special.


A grantable petition under 37 CFR 1.102(d) and MPEP 708.02, section II: Infringement, must be accompanied by the required fee and a statement alleging:

- (1) that there is an infringing device or product actually on the market or method in use;
- (2) that a rigid comparison of the alleged infringing device, product, or method with the claims of the application has been made, and that, in his or her opinion, some of the claims are unquestionably infringed; and
- (3) that he or she has made or caused to be made a careful and thorough search of the prior art or has a good knowledge of the pertinent prior art. Further, Applicant must provide one copy of each of the references deemed most closely related to the subject matter encompassed by the claims if said references are not already of record.

The above requirements are met and therefore the petition is **GRANTED**.

The application will maintain its special status throughout its entire course of prosecution at the Patent and Trademark Office, including appeal, if any to the Board of Patent Appeals and Interferences, subject only to diligent prosecution by the applicant.

The application is being forwarded to the examiner for expedited prosecution.


Krista Zele
Special Program Examiner
Technology Center 2600
(703) 305-4701